New Jersey Division of AIDS Prevention and Control Persons Living with HIV/AIDS as of June 30, 2002 Burlington County Residents

1.	Current HIV/AIDS Category	Adult/Adolesc Cases %			Pediat Cases	%			Tota ases	%
	AIDS-Any OI AIDS-CD4 Only HIV Only	# # 136 32 # #			# 0 #	 # 0 #			74 136 220	17 32 51
	Total	424 100			6	100		_	430	100
2.	Current Age * Cases %	3. Race/Eth.			Adult/	%	Pediat Cases	%		al %
	<pre><5 0 0 5-12 # # 13-19 # # 20-29 31 7 30-39 142 33 40-49 176 41 50+ 74 17 Unk. 0 0 </pre>	White, No Black, No Hispanic Other/Unk Total	t Hisp t Hisp nown	anic	# # 39	# # 9 2	# # 0 0	# # 0 0	174 207 39 10 430	40 48 9 2
	Total 430 100									
4.	Patient Group	==	Ad ales 	ult/Ad % 		t Tran Female 	s %	ion M	odes ** Tota 	
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***		141 68 19 20 60	46 22 6 6 19		0 36 0 39 41	0 31 0 34 35		14 10 1 5	11 33 04 25 .9 4 59 14 01 24
	Total	-	308	100		116			42	24 100
			ales	%		Female	s %	n Mod	Tota	
	Parent at risk/has AIDS/HIV Risk not reported/other***	-	# 0	100		# 0	100			6 100 0 0
	Total	-	#	100		#	100			6 100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification based on current age at the end of June 2002.
- ** 0 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control AIDS Cases Reported as of June 30, 2002 Burlington County Residents

Adult/Adolescent*

Cases (%)

1. Disease Category

PCP Other OI w/o : KS Alone No Disease Li			# (#) # (#) # (#) # (#) 15 (3) 13 (87) 204 (35) 68 (35)	# (#) # (#) O (O) O (O)	# (#) # (#) 0 (.) 0 (.)	183 (31) 195 (33) 15 (3) 204 (34)	147 (80) 159 (83) 13 (87) 68 (35)
Total			589 (100) 381 (66)	8 (100)	6 (75)	597 (100)	387 (66)
Age * C	ases	બ	3. Race/Eth.	Adult/Adl* Cases %	Pediatric* Cases %	Total Cases %	
Under 5	 6	1	White, Not Hispanic	# #	# #	275 46	
5-12	#	#	Black, Not Hispanic		6 75	273 46	
13-19	#	#	Hispanic	46 8	0 0	46 8	
20-29	93	16	Other/Unknown	# #	# #	# #	
30-39	269	45					
40-49	163	27	Total	589 100	8 100	597 100	
Over 49	62	10					
Unknown	0	0					
Total	597	100					

Deaths (%) Cases (%)

Pediatric*

Deaths (%)

Total

Deaths (%)

Cases (%)

l. Patient Group	Adult/Adolescent Transmission Modes **								
	Males	%	Females	%	Total	%			
Men sex with men (MSM)	231	49	0	0	231	39			
Injection drug user (IDU)	124	26	49	42	173	29			
MSM/IDU	28	6	0	0	28	5			
Heterosexual contact	28	6	38	33	66	11			
Risk not reported/other***	62	13	29	25	91	15			
Total	473	100	116	100	589	100			
		Pedia	tric Transmi	ssion Mod	les				
	Males	8	Females	ે	Total	용			

	Males	%	Females %	Total	8
Parent at risk/has AIDS/HIV Risk not reported/other***	# #	###	# # # #	6 #	75 25
Total	#	100	# 100	8	100

[#] Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

^{*} Classification at time of AIDS diagnosis.

^{** 0} patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

^{***} Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control AIDS Cases Reported as of June 30, 2002 Burlington County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	7	7	100%
1985	10	10	100%
1986	10	10	100%
1987	22	22	100%
1988	27	25	93%
1989	39	34	87%
1990	33	32	97%
1991	48	42	88%
1992	68	56	82%
1993	59	40	68%
1994	62	37	60%
1995	43	26	60%
1996	41	16	39%
1997	24	10	42%
1998	24	5	21%
1999	33	7	21%
2000	20	#	#%
2001	22	#	#%
2002	5	0	0%
Total	597	387	65%

[#] Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

New Jersey Division of AIDS Prevention and Control HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2002 Burlington County Residents

1.	Age *	Cases	%	2.	Race/Ethnicity	Adult Cases			Ped Case		ric* %	(Total Cases	%
	Under 5	#	#		White, Not Hispanic		#	#		#	#		101	41
	5-12	#	#		Black, Not Hispanic		#	#		#	#		116	47
	13-19	9	4		Hispanic	2		9		0	0		21	9
	20-29	68	28		Other/Unknown		9	4		0	0		9	4
	30-39	101	41											
	40-49	49	20		Total		#	#		#	100		247	100
	Over 49	16	6											
	Unknown	0	0											
	Total	247	100											
3.	Patient Gro	oup			Adı	ılt/Adol	es	cent :	[ransm:	issi	on Mode	es **		
					Males	%		Fer	nales	%		Total	%	
	Men sex wit	 -h men (N	ISM)		80	46			· 0			80	33	
	Injection of				39	23			24	34		63	26	
	MSM/IDU	ar ug ugci	(100)		7	4			0	0		7	3	
	HSM/ IDO	. 1			10	-			2.2	21		2.0	1 2	

10 6

100

22 31

#

100

32

100

#

13

	Pediatric Transmission Modes						
	Males	%	Females %	Total	%		
Parent at risk/has AIDS/HIV Risk not reported/other***	# 0	100	# 100 0 0	# 0	100		
Total	#	100	# 100	#	100		

NOTE: Includes only those persons known to be infected with HIV.

Risk not reported/other***

Heterosexual contact

Total

- Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- ** O patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of AIDS Prevention and Control HIV/AIDS Cases Reported as of June 30, 2002 Burlington County Residents

				Adult/Adolescent *	Ped	diatri	.C *	To	tal	
1.	Current HIV	J/AIDS Ca	tegory	Cases %	Case	es	%	Cases	%	
	AIDS-Any OI AIDS-CD4 Or HIV Only			# # 204 25 # #		# 0 #	# 0 #	393 204 247	47 24 29	
	Total			832 100	1	L2	100	844	100	
2.	Age *	Cases	૪	3. Race/Eth.	Adult/A Cases	Adl* %	Pediat Cases	ric* %	To Cases	tal %
	Under 5 5-12 13-19 20-29	# # 13 186	# # 2	White, Not Hispanic Black, Not Hispanic Hispanic Other/Unknown	# 380 67 #	# 46 8 #	# 9 0 #	# 75 0 #	376 389 67 12	45 46 8
	30-39 40-49	361 198	43 23	Total	 832		 12	 100	844	100
	Over 49 Unknown	74 0	9 0							

Patient Group Adult/Adolescent Transmission				ission N	Modes **	
	Males	%	Females	%	Total	8
Men sex with men (MSM)	311	48	0	0	311	37
Injection drug user (IDU)	163	25	73	39	236	28
MSM/IDU	35	5	0	0	35	4
Heterosexual contact	38	6	60	32	98	12
Risk not reported/other***	99	15	53	28	152	18
Total	646	100	186	100	832	100
		Pediat	tric Transmis	sion Mod	des	
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	5	83	 5	83	10	83
Risk not reported/other***	#	17	#	17	#	17
Total		100		100	12	100

NOTE: Includes only those persons known to be infected with HIV.

- Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification at time of first HIV+/AIDS diagnosis.

Total 844 100

- ** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of AIDS Prevention and Control HIV/AIDS Cases Reported as of June 30, 2002 Burlington County Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Cases	Number Known Dead	Case-Fatality Rate
Before 1985	7	7	100%
1985	14	12	86%
1986	13	12	92%
1987	37	33	89%
1988	38	32	84%
1989	49	40	82%
1990	55	42	76%
1991	68	50	74%
1992	117	63	54%
1993	60	30	50%
1994	65	29	45%
1995	66	23	35%
1996	52	12	23%
1997	54	10	19%
1998	37	#	#%
1999	43	7	16%
2000	32	6	19%
2001	31	#	#%
2002	6	#	#%
Total	844	414	49%

NOTE: Includes only those persons known to be infected with HIV.

[#] Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.